1. Start Weka, open Bayes Network Editor (Under tools menu)



2. File -> load contact-lenses.arff (under weka's data folder)

🎌 Load Grap	h			
Look <u>i</u> n:	🛅 data		🕑 🤌 🛄	
 武最近的文档 (ごう) 桌面 (ごう) 泉面 (ごう) 泉面 	<pre>Contact-lense Cpu. arff Cpu. with. vene Cpu. with. vene Cpu. with. vene Cpu. arff Cpu. arff</pre>	es. arff dor. arff lenge. arff . arff nal. arff		
いた 我的电脑				
S	File <u>n</u> ame:	contact-lenses. arff		Open
网上邻居	Files of <u>t</u> ype:	ARFF files	~	Cancel

📚 Ba	ayes I	Netvo	rk Ed	lito	r																			
<u>F</u> ile	<u>E</u> dit	Tools	<u>V</u> iew	<u>H</u> e	lp																		 	
			۵	B	È	Ж	Þ	â	\square	\square	⊒+ 0+	+□ →0	0⊡ ↑↑	<u>*</u> ‡	÷	+[]+	}++[¥	Æ	100%	Q	R		
ap	ge	1	2		3		4																	
Loaded	ł C:\Pr	ogram F	/iles\W	/eka	-3-6\\	data	\cont	.act-:	lense	s. arfi	f													
3.	Learı	1 Bay	ves N	let	des	ign	bv	То	ols -	-> L	ear	n N	letv	vor	k									
<u>e</u>	Lea	rn B	ave	si	an	He	- J		Ъ.					1	\mathbf{x}									

🕌 Learn	Bayesian Network 🛛 🔀
Options	s.net.estimate.SimpleEstimatorA 0.5
Learn	Cancel

4. Press "Learn"

📚 Bayes Netwo	rk Ed	lito	r																	
<u>F</u> ile <u>E</u> dit <u>T</u> ools	<u>V</u> iew	<u>H</u> el	lp																	
	D		ð,	ĶС	b 🔋	Ω	$ \Omega $	0 +	+□ →0	<u>*</u>	¢	+[]+	} ⊷[Ŧ	Ð	100%	R	P		
age 1		2		3																
Graph layed out																				

5. Save the graph as lenses.xml

📚 Save Grap	h As	K
Save <u>i</u> n:	🛅 data 🔰 🦻 📰 📰	
一次	<pre>lenses. xml lenses2. xml lenses3. xml</pre>	
夏面		
了 我的电脑		
	File name: lenses.xml]
网上邻居	Files of type: XML BIF files Cancel]

6. Open Explorer (don't close Bayes net editor)



7. Open file... -> contact-lenses.arff

🎌 Open		\mathbf{X}
Look <u>i</u> n:	🛅 data	Image: Second
 武最近的文档 (ご) 夏面 (ご) 夏面 (ご) ((i) ((i)<!--</th--><th><pre>Contact-lenses. arff Contact-lenses2. arff Contact-lenses2. arff Contact-lenses2. arff Contact-lenses2. arff Contact-lense. arff Contact-lens</pre></th><th></th>	<pre>Contact-lenses. arff Contact-lenses2. arff Contact-lenses2. arff Contact-lenses2. arff Contact-lenses2. arff Contact-lense. arff Contact-lens</pre>	
	File name: contact-len	ses. arff Open
网上邻居	Files of type: Arff data f	iles (*. arff) 🗸 Cancel
🞌 Veka Explorer		
Yeka Explorer	Cluster Associate Select attributes Vis	ualize
Veka Explorer Preprocess Classify (Open file	Cluster Associate Select attributes Vis Open URL Open DB Gener	ate Undo Edit Save
Veka Explorer Preprocess Classify (Open file Filter Choose None	Cluster Associate Select attributes Vis Open URL Open DB Gener	ate Undo Edit Save
Veka Explorer Preprocess Classify (Open file Vilter Choose None Current relation Relation: contact-1 Instances: 24 Attributes All No. Name 1 age 2 spectacle 3 astignati	Cluster Associate Select attributes Vis Open URL Open DB Gener enses Attributes: 5 None Invert Pattern -prescrip	aalize ate Undo Edit Save Apply s object, right-click/Alt+Shift+left-click for menu Name: age Missing: 0 (0%) Distinct: 3 Unique: 0 (0%) No. Label 2 pre-presbyopic 8 3 presbyopic 8
Veka Explorer Preprocess Classify (Open file Vilter Choose None Current relation Relation: contact-1 Instances: 24 Attributes All No. Name 1 3 astignati 4 tear-prod 5 contact-1	Cluster Associate Select attributes Vis Open URL Open DB Gener Invert Pattern Prescrip Sm Trate enses Remove	ate Undo Edit Save Apply s object, right-click/Alt+Shift+left-click for menu Missing: 0 (0%) Distinct: 3 Unique: 0 (0%) No. Label Count 1 young 8 2 pre-presbyopic 8 3 presbyopic 8 Class: contact-lenses (Nom) Visualize All 8 8 8 8

8. Classify Tab

📚 Veka Explorer		
Preprocess Classify Cluster Associate Sele	ect attributes Visualize	
Classifier		
Choose ZeroR		
Test options	Classifier output	
🔿 Use training set		
OSupplied test set Set		
⊙ Cross-validation Folds 10		
O Percentage split % 66		
More options		
(Trai) - sector de l'array		
(Nom) contact-Lenses		
Start Stop		
Result list (right-click for options)		
Status		
ок	Log	🐨 × 0

9. Choose ->Bayes net

🎌 Veka Explorer								_ 7 🗙
Preprocess Classify Cluster Associate Select at	ributes Visualize					键入需	要帮助的问题	. ×
Classifier								
🔁 weka	. net. search. local. K2	-P 1 -S BAYES -E v	eka. classifie	rs. bayes. net. esti	mate.	چ 守 😌		
classifiers	ifier output							
ADDE						361 1381	<u>∆</u> 40 i i 42 i	1441
BayesianLogisticRegression								
BayesNet							1	
DMNBtext							1	
+ HNB								
NaiveBayesMultinomial						estinate		
NaiveBayesMultinomialUpdateable						escimace.		
NaiveBayesUpdateable								
WAODE								
• JythonClassifier								
B C lazy								
u u meta 								
🖶 🧰 misc								
Tules								
<u>F</u> ilter <u>R</u> emove filter <u>C</u> lose								
Status								
ок				Log 🛷	▶ × 0			
= a B > y (<			Ш					± 0 ¥
絵图 (1) + 🔓 自选图形 (1) + 🔪 🔪 🖂 🔛	al 🗘 🗕 🛃 🖄 - 🚄	<u>⊿ - </u> _ = = :	‡ 🛯 🖉 🕽					
6页 1节 6/14 位置	行列录制	1 修订 扩展 改写	英语(美国)	d)				
# 开始 ■ ▲ @ ▲ EECS ▲ Ho	new 🔟 Hw3 d	C:\Pr	🎔 Yeka	P Bayes	🗢 Yek			. 8:30 PM

📚 Teka Explorer	
Preprocess Classify Cluster Associate Select attributes Visualize	
Classifier	
Choose BayesNet -D -Q weka classifiers bayes net search local K2P 1 -S BAYES -E weka classifiers bayes net estimat	te.
Test options Classifier output	
O Use training set	
O Supplied test set Set	
⊙ Cross-validation Folds 10	
O Percentage split % 66	
More options	
(Nom) contact-lenses	
Start Stop	
Result list (right-click for options)	
Status	
OK Log 💞	x 0

10. Click the bold "Bayes net" (yes, the text!)

💎 weka, gui. Ge	enericObjectEditor	
weka.classifiers.	bayes. BayesNet	
About		
Bayes Network and quality mea	learning using various search algorithms sures.	More Capabilities
BIFFile		
debug	False	~
estimator	Choose SimpleEstimator -A 0.5	
searchAlgorithm	Choose K2 -P 1 -S BAYES	
useADTree	False	~
Open	Save 0K	Cancel

11. Search algorithm -> choose -> from file (under "fixed")

	- I X	- ē 🛛
Preprocess Classify Cluster As	sociate Select attributes Visualize	键入需要帮助的问题 - ×
Classifier		
Choose 🔖 weka, gui. Ger	nericObjectEditor 🛛 🔀 eka. classifiers. bayes. net. estimate	
Test options weka classifiers b	ayes. BayesNet	
O Use trai About		361 1381 2401 1421 1441
 Supplied Bayes Network le and quality meas 	earning using various search algorithms More	
⊙ Cross-va	Capabilities	
BIFFile		
dohng	Ralas	
(Nom) contac		
estimator	Choose SimpleEstimator -A 0.5	
Regult list	weka	
useADTree	a classifiers	-
	⊡ — — — — — — — — — — — — — — — — — — —	
Upen		
	• FromFile	
	• NaiveBayes	
(Statur	• 12 • LACHHillClinber	
OK	- RepeatedHillClimber	
	 SimulatedAnnealing TabuSearch 	
	TAN	ź
		0 ¥
: 绘图 @) ▼ 😓 │ 自选图形 @) ▼ 🔪	· = = = = = =	
7页 1节 7/15	Close 扩展 改写 英语 (美国)	
	Vir Vieka	
🔊 waka gui Ca	prezicObjectEditor	
📚 weka. gui. Ge	enericObjectEditor	
📚 weka. gui. Ge weka. classifiers.	enericObjectEditor	
📚 weka. gui. Ge weka. classifiers.	e <mark>nericObjectEditor</mark> bayes. BayesNet	
veka. gui. Ge weka. classifiers. About	e <mark>nericObjectEditor</mark> bayes. BayesNet	
weka. gui. Ge weka. classifiers. About Dames Natural	enericObjectEditor bayes. BayesNet	
weka. gui. Ge weka. classifiers. About Bayes Network I	enericObjectEditor bayes. BayesNet learning using various search algorithms More	
weka. gui. Ge weka. classifiers. About Bayes Network I and quality mea	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Canabiliti	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capability	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capabiliti	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capabiliti	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capability	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capability	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capability False	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capability False	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capability False Choose SimpleEstimator -A 0.5	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator searchAlgorithm	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5 Choose FromFile -B	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator searchAlgorithm	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5 Choose FromFile -B	
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator searchAlgorithm	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5 Choose FromFile -B Relse	ies edit pro
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator searchAlgorithm useADTree	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5 Choose FromFile -B False	ies edit pro
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator searchAlgorithm useADTree	enericObjectEditor bayes.BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5 Choose FromFile -B False	edit pro
veka. gui. Ge weka. classifiers. About Bayes Network I and quality mea BIFFile debug estimator searchAlgorithm useADTree Open	enericObjectEditor bayes. BayesNet learning using various search algorithms More sures. Capabilit: False Choose SimpleEstimator -A 0.5 Choose FromFile -B False Left-click to Save OK Cance	ies edit pro

12. Click the bold text "FromFile"

💎 weka.	gui.GenericObjectEditor	×
weka. clas The Fro BIFF fo	sifiers. bayes. net. search. fixed. FromFile omFile reads the structure of a Bayes net from a file in More rmat.	
BIFFile		~
< Open	Save OK Cancel	

13. type the path in the "BIFFILE" box

📚 weka. gui. GenericObjectEditor					
weka. classifiers. bayes. net. search. fixed. FromFile The FromFile reads the structure of a Bayes net from a file in More BIFF format.					
BIFFile C:\Program Files\Weka-3-6\data\lenses.xml	~				
	>				
Open Save OK Cancel					

14. Press OK, OK

📚 Veka Explorer	
Preprocess Classify Cluster Associate Selec	rt attributes Visualize
Classifier	
Choose BayesNet -D -Q weka.classifiers.	bayes.net.search.fixed.FromFile == =B "C:\\Program Files\\Weka=3=6\\data\\lenses.s
Test options	Classifier output
○ Use training set	
O Supplied test set Set	
⊙ Cross-validation Folds 10	
O Percentage split % 66	
More options	
(Nom) contact-lenses	
Start Stop	
Result list (right-click for options)	
Status	
OK	Log 🛷 x O

15. Change the folds of cross-validation to 2

📚 Veka Explorer
Preprocess Classify Cluster Associate Select attributes Visualize
Classifier
Choose BayesNet -D -Q weka classifiers bayes net search fixed FromFileB "C:\\Program Files\\Weka-3-6\\data\\lenses.;
Test options Classifier output
Use training set
O Supplied test set Set
• Cross-validation Folds 2
O Percentage split % 66
More options
(Nom) contact-lenses
Start Stop
Result list (right-click for options)
(Status
OK Log x O



🎌 Veka Explorer		_ 7 🗙							
Preprocess Classify Cluster Associate	Select attributes Visualize								
Classifier									
Choose BayesNet -D -Q weka. classi	fiers, bayes, net, search, fixed, FromFileB "C:\\Program Files\\Weka-3-6\\data\\lenses, xml" -E weka, classifiers, bayes, ;	net. esti							
Test options	Classifier output								
Use training set	me taken to build model: 0.08 seconds								
O Supplied test set Set									
⊙ Cross-validation Folds 2	=== Stratified cross-validation ===								
O Percentage split % 66	=== 30mmary ===								
More options	Correctly Classified Instances 16 66.6667 %								
	Incorrectly Classified Instances 8 33.3333 %								
(Nom) contact-lenses 🗸 🗸 🗸	Kappa Statistic 0.3579 Mean absolute error 0.2468								
	Root mean squared error 0.3504								
Start Stop	Relative absolute error 65.3298 %								
Result list (right-click for options)	Root relative squared error 81.75 %								
20:20:16 - bayes.BayesNet	Iotal Mumber of Instances 24								
	=== Detailed Accuracy By Class ===								
	TP Rate FP Rate Precision Recall F-Measure ROC Area Class								
	0.6 0.105 0.6 0.6 0.6 0.926 soft								
	0.25 0.1 0.333 0.25 0.286 0.888 hard								
	0.8 0.444 0.75 0.8 0.774 0.859 none								
	Weighted Avg. 0.667 0.316 0.649 0.667 0.636 0.678								
	=== Confusion Matrix ===	=							
	a b c < classified as								
	3 0 2 a = soft								
	1 1 2 b = hard								
	1 2 12 c = none								
		_							
		>							
Status									
OK	Log	🔊 × О							

17. Switch to the previous Bayes net editor



18. Right click "3"->Add parent->age



19. Tools->Layout->Layout graph



20. Save as lenses2.xml

21. Switch to Weka explorer

ᅑ Veka Explorer						
Preprocess Classify Cluster Associate	elect attributes Visualize					
⊂Classifier						
Choose BayesNet -D -Q weka classif	ers, bayes, net, search, fixed. Fr	omFileB "C:\\Progra	m Files\\We	ka-3-6\\data	\\lenses.;	
Test options	lassifier output	Left-click to e	dit properti	ies for this	object, righ	
🔘 Use training set					<u>~</u>	
OSupplied test set Set	lime taken to bulla mode.	1: U.U8 seconds				
• Cross-validation Folds 2	=== Stratified cross-val:	idation ===				
	=== Summary ===					
	a a					
More options	Correctly Classified Ins Incorrectly Classified T	tances 16 nstances 8		66.6667 33 3333	* *	
	Kappa statistic	0.35	79	00.0000	•	
(Nom) contact-lenses 🛛 💙	Mean absolute error	0.24	68			
Start Stop	Root mean squared error	0.35	04			
	Relative absolute error	65.32	98 %			
Result list (right-click for options)	Root relative squared er: Total Number of Instance	it relative squared error 81.75 %				
20:20:16 - bayes.BayesNet	lotal Number of Instances 24					
	=== Detailed Accuracy By	Class ===			=	
	TP Rate	FP Rate Precision	Recall	F-Measure	ROCI	
	U.6 0.25	0.105 0.6	U.6 0.25	U.6 0 286	0.5	
	0.25	0.444 0.75	0.25	0.200	0.0	
	Weighted Avg. 0.667	0.316 0.649	0.667	0.656	0.8	
	/				<u> </u>	
Status						
ок				Log	🐨 × 0	

22. Click bold text "BayesNet"

📚 weka, gui, Ge	nericObjectEditor	K
weka.classifiers.	bayes. BayesNet	
About		٦
Bayes Network I and quality mea	earning using various search algorithms More sures. Capabilities	
BIFFile]
debug	False	
estimator	Choose SimpleEstimator -A 0.5]
searchAlgorithm	Choose FromFile -B "C:\\Program Files\\Weka-3-6\\data	
useADTree	False	
0pen	Save OK Cancel]

23. Click bold text "FromFile"

Þ	📚 weka. gui. GenericObjectEditor								
wel	weka, classifiers, bayes, net, search, fixed, FromFile								
	About The FromFile reads the structure of a Bayes net from a file in More BIFF format.	<							
<									
C	Open Save OK Cancel								

24. Change the file name to lenses2.xml

🞌 weka. gui. GenericObjectEditor						
weka. classifiers. bayes. net. search. fixed. FromFile The FromFile reads the structure of a Bayes net from a file in More BIFF format.						
BIFFile C:\Program Files\Weka=3=6\data\lenses2.xml	¥					
Open Save OK Cancel						

25. Press Ok,Ok

🐤 Veka Explorer							
Preprocess Classify Cluster Associate	Select attributes	Visualize					
Classifier							
Choose BayesNet -D -Q weka classifiers bayes net search fixed FromFileB "C:\\Program Files\\Weka-3-6\\data\\lenses2							
Test options	Classifier outpu	t					
O Use training set	Time taken to	build mode	el: 0.08 s€	econds			
O Supplied test set Set							
⊙ Cross-validation Folds 2	=== Stratified	l cross-va	lidation ==				
O Percentage split % 66	=== Summary ==						
More options	Correctly Clas	sified In:	stances	16		66.6667	4
more operations	Incorrectly Cl	assified :	Instances	8		33.3333	*
(Nom) contact-lenses	Kappa statisti	.c		0.35	79		
	Mean absolute	error		0.24	58		
Start Stop	Root mean squa	ired error		0.35	J4		
	Relative absor	ute error empered er	rror	81 75	70 5 2		
20.20.16 - house Reserved	Total Number of	of Instance	23	24	*		
20.20.10 Dayes. Dayeshet							
	=== Detailed A	ccuracy By	y Class ===	=			=
		TP Rate	FP Rate	Precision	Recall	F-Measure	ROC i
		0.6	0.105	0.6	0.6	0.6	0.9
		0.25	0.1	0.333	0.25	0.286	0.8
		0.8	0.444	0.75	0.8	0.774	0.8
	Weighted Avg.	0.667	0.316	0.649	0.667	0.656	0.8
	<)				>
Status OK	<u></u>					Log	€ × 0

26. Press Start

🎌 Veka Explorer							
Preprocess Classify Cluster Associate	Select attributes	Visualize					
Classifier							
Choose BayesNet -D -Q weka classi	fiers. bayes. net. sea	urch. fixed. F	romFile ·	-B "C:\\Progra	m Files\\W	eka-3-6\\data'	\lenses2.
Test options	Classifier output						
🔘 Use training set	Mean absolute	error		0.29	57		<u>^</u>
O Supplied test set Set	Root mean squa	red error		0.383	39		
• Cross-welidation Folds 2	Relative absolution	ute error		78.269	98 % DE %		
	Total Number o	squared er f Instance	ror	89.563 24	10 %		
Offercentage split % 66	TOCAL MAMBER 0	r moomice	.0	24			
More options	=== Detailed A	ccuracy By	Class ===	=			
(Nom) contact-lenses 🗸 🗸 🗸		TP Rate	FP Rate	Precision	Recall	F-Measure	ROC i
		0.6	0.053	0.75	0.6	0.667	0.9
Start Stop		0.25	0.05	0.5	0.25	0.333	0.1
<pre> Result list (right-click for options) </pre>	Weighted Avg.	0.007	0.350	0.722	0.007	0.700	0.1
20:20:16 - bayes.BayesNet	weighted mog.	01.00	0.000	0.001	0.100	0.001	0.
20:26:38 - bayes.BayesNet	=== Confusion 1	Matrix ===					
	abc <-	- classifi	ed as				
	3021a	= soft					=
	0 1 3 b	= hard					
	1 1 13 0	= none					
							_
	<						>
[]	[<u></u>]	,					
Status							
ок						Log	× U

27. Compare/visulize results by right/left click the lower-left window

🕈 Veka Explorer									_ 7 🗙
Preprocess Classify Cluster Associate	Select attributes Visualize						铤	主入需要帮助的问题	• X
Classifier									
Choose BayesNet -D -Q weka classifiers bayes net search fixed FromFileB "C:\\Program Files\\Weka-3-6\\data\\lenses2					훈 穿	-			
Test options	Classifier output						20.1		
O Use training set	Mean absolute error		0.24	68		<u>^</u>	361 1	361 2401 142	
O Supplied test set Set	Root mean squared error		0.35	04					
⊙ Cross-validation Folds 2	Relative absolute error Root relative squared err	or	65.32	98 % %					
Percentage split % 66	Total Number of Instances	3	24	•					
more options	=== Detailed Accuracy By	Class ==	-						
(New) contratellances	TP Rate	FP Rate	Precision	Recall	F-Measure	ROC	Bure	RUCI	
(ion) contact renses	0.6	0.105	0.6	0.6	0.6	0.9	333	0.1	
Start Stop	0.25	0.1	0.333	0.25	0.286	0.8	788	0.1	
Result list (right-click for options)	0.8	0.444	0.75	0.8	0.774	0.8	587	0.1	
20:20:16 - bayes.BayesNet	weighted Avg. 0.66/	0.316	0.649	0.66/	0.636	0.8		_	
20:26:38 - bayes.BayesNet View	in main window								
View	in separate window								
Save	result buffer	as				-		=	
DeLet	e result buffer					=			
Load	model								
Save	model								
Retev	aluate model on current test set					~		× *	
Visua	lize classifier errors					<u>></u>			
Status	lize graph						Ъ		_
OK Visua	lize margin curve				Log	x 0		- × 0	
Visua	lize threshold curve		1.0		J			ų,	
- 31. Compare/visu	Benefit analysis	the lov	wer-left w	ndow∉					~
ې ۲۱ Sua	112e Cost curve	•							*
÷									Ŧ
									>
: 绘图 @) → 🔓 自选图形 (U) → 🔪 🔪 🗔	○ 🗠 🖪 🦂 🔅 🗕 🖄 🖄	• 🥒 • 🗚	• = = ;						
13页 1节 13/14 位置 25	5厘米 4 行 71 列	录制修订	扩展 改写 募	(国美) 部連	Ø				
🛃 开始 🔰 💈 🏉 🧭 😢 🕻 EECS	. 🌈 Homew 🕎 Hw3. d	. 💌 Y	eka 🔊	Bayes	💎 Weka .	🖸 🏠 C:	\Pr	Сн 👝 🔇 🔊	🧐 8:27 PM