

The Standard Template Library

EECS 230

Winter 2017

Problem: finding the maximum element of a vector

A simple fixed-size vector struct:

```
struct Int_vec
{
    int* data;
    size_t size;
};
```

Solution: max_int_vec

```
// Finds the index of the maximum element in vec.  
// - If vec is empty returns 0.  
// - If the maximum element repeats, returns the first occurrence.  
size_t max_int_vec(const Int_vec& vec)  
{  
    size_t best = 0;  
  
    for (size_t i = 1; i < vec.size; ++i) {  
        if (vec.data[best] < vec.data[i]) best = i;  
    }  
  
    return best;  
}
```

Testing max_int_vec

```
TEST(Max_int_vec)
{
    int data[] = { 2, 0, 5, 3, 9, 5, 1 };
    Int_vec v{data, 7};

    CHECK_EQUAL(4, max_int_vec(v));
}
```

Problem: finding the maximum element of a linked list

A simple linked list:

```
struct Int_node
{
    int data;
    std::shared_ptr<Int_node> next;
};
```

Problem: finding the maximum element of a linked list

A simple linked list:

```
struct Int_node
{
    int data;
    std::shared_ptr<Int_node> next;
};

using Int_list = std::shared_ptr<Int_node>;
```

Problem: finding the maximum element of a linked list

A simple linked list:

```
struct Int_node
```

```
{
```

```
    int data;
```

```
    std::shared_ptr<Int_node> next;
```

```
};
```

```
using Int_list = std::shared_ptr<Int_node>;
```

```
Int_list cons(int data, Int_list next)
```

```
{
```

```
    Int_list result = std::make_shared<Int_node>();
```

```
    result->data = data; result->next = next;
```

```
    return result;
```

```
}
```

Solution: max_int_list

// Finds the link to the node containing the maximum element.

// - If the list is empty, returns the null pointer.

// - If the maximum repeats, returns the first occurrence.

```
Int_list max_int_list(Int_list lst)
{
    Int_list best = lst;

    for (Int_list i = lst; i != nullptr; i = i->next) {
        if (best->data < i->data) best = i;
    }

    return best;
}
```


Testing max_int_list

```
TEST(Max_int_list)
{
    Int_list expected = cons(9, cons(5, cons(1, nullptr)));
    Int_list lst = cons(2, cons(0, cons(5, cons(3, expected))));

    CHECK_EQUAL(expected, max_int_list(lst));
}
```

Making our code more general

To make our code more general (and thus more reusable):

- Make the data structures generic over the element types
- Make the algorithm generic over the data structures

Generic fixed-size vector

```
template <typename T>  
struct Vec  
{  
    T* data;  
    size_t size;  
};
```

Generic max_vec

```
template <typename T>
size_t max_vec(const Vec<T>& vec)
{
    size_t best = 0;

    for (size_t i = 1; i < vec.size; ++i) {
        if (vec.data[best] < vec.data[i]) best = i;
    }

    return best;
}
```

Generic linked list

```
template <typename T>
struct Node
{
    T data;
    std::shared_ptr<Node<T>> next;
};
```

Generic linked list

```
template <typename T>
struct Node
{
    T data;
    std::shared_ptr<Node<T>> next;
};
```

```
template <typename T>
using List = std::shared_ptr<Node<T>>;
```

```
template <typename T>
List<T> cons(const T& data, List<T> next)
{
    List<T> result = std::make_shared<Node<T>>();
    result->data = data; result->next = next;
    return result;
}
```

Generic max_list

```
template <typename T>
List<T> max_list(List<T> lst)
{
    List<T> best = lst;

    for (List<T> i = lst; i != nullptr; i = i->next) {
        if (best->data < i->data) best = i;
    }

    return best;
}
```

Introducing the Standard Template Library

- Includes containers like `std::vector<T>`, `std::list<T>` (a doubly-linked list), and more
- Containers have *iterators* for traversing them
- An iterator is like a pointer to one element of a container

Vector iterators

- Like pointers to vector elements

Vector iterators

- Like pointers to vector elements
- `v.begin()` returns an iterator to the beginning of `v`

Vector iterators

- Like pointers to vector elements
- `v.begin()` returns an iterator to the beginning of `v`
- `v.end()` returns an iterator to one past the end of `v`

Vector iterators

- Like pointers to vector elements
- `v.begin()` returns an iterator to the beginning of `v`
- `v.end()` returns an iterator to one past the end of `v`
- `*i` dereferences an iterator `i`

Vector iterators

- Like pointers to vector elements
- `v.begin()` returns an iterator to the beginning of `v`
- `v.end()` returns an iterator to one past the end of `v`
- `*i` dereferences an iterator `i`
- `++i` advances an iterator `i` to the next element

Vector iterators

- Like pointers to vector elements
- `v.begin()` returns an iterator to the beginning of `v`
- `v.end()` returns an iterator to one past the end of `v`
- `*i` dereferences an iterator `i`
- `++i` advances an iterator `i` to the next element
- (and more...)

List iterators

- Like pointers to list elements

List iterators

- Like pointers to list elements
- `lst.begin()` returns an iterator to the beginning of `lst`

List iterators

- Like pointers to list elements
- `lst.begin()` returns an iterator to the beginning of `lst`
- `lst.end()` returns an iterator to one past the end of `lst`

List iterators

- Like pointers to list elements
- `lst.begin()` returns an iterator to the beginning of `lst`
- `lst.end()` returns an iterator to one past the end of `lst`
- `*i` dereferences an iterator `i`

List iterators

- Like pointers to list elements
- `lst.begin()` returns an iterator to the beginning of `lst`
- `lst.end()` returns an iterator to one past the end of `lst`
- `*i` dereferences an iterator `i`
- `++i` advances an iterator `i` to the next element

List iterators

- Like pointers to list elements
- `lst.begin()` returns an iterator to the beginning of `lst`
- `lst.end()` returns an iterator to one past the end of `lst`
- `*i` dereferences an iterator `i`
- `++i` advances an iterator `i` to the next element
- (and more...)

max_vec using std::vector iterators

```
#include <vector>
```

```
using vector_int_iter = typename std::vector<int>::iterator;
```

```
vector_int_iter max_vec(std::vector<int>& vec)
```

```
{
```

```
    vector_int_iter best = vec.begin();
```

```
    for (vector_int_iter i = vec.begin(); i != vec.end(); ++i) {
```

```
        if (*best < *i) best = i;
```

```
    }
```

```
    return best;
```

```
}
```

max_vec using auto

```
#include <vector>
```

```
typename std::vector<int>::iterator
```

```
max_vec(std::vector<int>& vec)
```

```
{
```

```
    auto best = vec.begin();
```

```
    for (auto i = vec.begin(); i != vec.end(); ++i) {
```

```
        if (*best < *i) best = i;
```

```
    }
```

```
    return best;
```

```
}
```

max_list using std::list iterators

```
#include <list>
```

```
typename std::list<int>::iterator
```

```
max_list(std::list<int>& lst)
```

```
{
```

```
    auto best = lst.begin();
```

```
    for (auto i = lst.begin(); i != lst.end(); ++i) {
```

```
        if (*best < *i) best = i;
```

```
    }
```

```
    return best;
```

```
}
```

Making the algorithm generic

`max_vec` and `max_list` are the same! except for the iterator type

Making the algorithm generic

`max_vec` and `max_list` are the same! except for the iterator type

We can use a template to abstract over the iterator type

Making the algorithm generic

`max_vec` and `max_list` are the same! except for the iterator type

We can use a template to abstract over the iterator type

We'll make the function take an iterator range to search through

Generic maximum element algorithm

```
template <typename Fwd_iter>
Fwd_iter max_generic(Fwd_iter start, Fwd_iter limit)
{
    Fwd_iter best = start;

    for (Fwd_iter i = start; i != limit; ++i) {
        if (*best < *i) best = i;
    }

    return best;
}
```

`max_generic` is very generic

It doesn't care about:

- the shape of the data structure
- the element type of the data structure
- whether the iterator is const or not

max_generic is very generic

It doesn't care about:

- the shape of the data structure
- the element type of the data structure
- whether the iterator is const or not

What it does care about:

- `Fwd_iter` is copyable (`best = i`), pre-incrementable (`++i`), and dereferenceable (`*i`)
- The results of dereferencing `Fwd_iter` are comparable with `operator<`

Using max_generic

```
TEST(Max_generic_vector)
{
    std::vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };
    auto exp = vec.begin() + 4;
    CHECK(exp == max_generic(vec.begin(), vec.end()));
}
```

```
TEST(Max_generic_list)
{
    std::list<double> lst{ 2, 0, 5, 3, 9, 5, 1 };
    auto exp = lst.begin();
    advance(exp, 4);
    CHECK(exp == max_generic(lst.begin(), lst.end()));
}
```

It's in <algorithm>

```
TEST(Max_element_vector)
```

```
{
```

```
    std::vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };
```

```
    auto exp = vec.begin() + 4;
```

```
    CHECK(exp == std::max_element(vec.begin(), vec.end()));
```

```
}
```

```
TEST(Max_element_list)
```

```
{
```

```
    std::list<double> lst{ 2, 0, 5, 3, 9, 5, 1 };
```

```
    auto exp = lst.begin();
```

```
    advance(exp, 4);
```

```
    CHECK(exp == std::max_element(lst.begin(), lst.end()));
```

```
}
```

STL algorithms

The STL `<algorithm>` header contains many algorithms:
<http://en.cppreference.com/w/cpp/algorithm>

STL algorithms

The STL `<algorithm>` header contains many algorithms:
<http://en.cppreference.com/w/cpp/algorithm>

Let's try using it for counting...

Counting occurrences

```
#include <algorithm>
```

```
using namespace std;
```

```
const vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };
```

```
TEST(Count)
```

```
{
```

```
    CHECK_EQUAL(0, count(vec.begin(), vec.end(), 4));
```

```
    CHECK_EQUAL(1, count(vec.begin(), vec.end(), 3));
```

```
    CHECK_EQUAL(2, count(vec.begin(), vec.end(), 5));
```

```
}
```

Counting with a predicate

```
bool lt6(int x) { return x < 6; }  
const vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };  
TEST(Count_if_lt6)  
{  
    CHECK_EQUAL(6, count_if(vec.begin(), vec.end(), lt6));  
}
```

Counting with a function object

```
class Less_than
{
    int value_;
public:
    Less_than(int value) : value_(value) { }
    bool operator()(int x) { return x < value_; }
};
```

Counting with a function object

```
class Less_than
{
    int value_;
public:
    Less_than(int value) : value_(value) { }
    bool operator()(int x) { return x < value_; }
};
```

```
TEST(Less_than)
{
    Less_than lt(5);
    CHECK(lt(4));
    CHECK(!lt(5));
}
```

Counting with a function object

```
class Less_than
{
    int value_;
public:
    Less_than(int value) : value_(value) { }
    bool operator()(int x) { return x < value_; }
};
```

```
const vector<int> v{ 2, 0, 5, 3, 9, 5, 1 };
```

```
CHECK_EQUAL(6, count_if(v.begin(), v.end(), Less_than(6)));
```

```
CHECK_EQUAL(4, count_if(v.begin(), v.end(), Less_than(5)));
```

Constructing a function object using `std::bind`

```
using namespace std::placeholders;

const vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };

CHECK_EQUAL(6, count_if(vec.begin(), vec.end(),
                        std::bind(std::less<int>(), _1, 6)));
```

The slickest way: lambda

```
const vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };  
CHECK_EQUAL(6, count_if(vec.begin(), vec.end(),  
                        [](auto x) { return x < 6; }));
```


The slickest way: lambda

```
const vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };
```

```
CHECK_EQUAL(6, count_if(vec.begin(), vec.end(),  
                        [](auto x) { return x < 6; }));
```

```
int y = 5;
```

```
CHECK_EQUAL(4, count_if(vec.begin(), vec.end(),  
                        [&](auto x) { return x < y; }));
```

The slickest way: lambda

```
const vector<int> vec{ 2, 0, 5, 3, 9, 5, 1 };
```

```
CHECK_EQUAL(6, count_if(vec.begin(), vec.end(),  
                        [](auto x) { return x < 6; }));
```

```
int y = 5;
```

```
CHECK_EQUAL(4, count_if(vec.begin(), vec.end(),  
                        [&](auto x) { return x < y; }));
```

```
int z = 4;
```

```
CHECK_EQUAL(4, count_if(vec.begin(), vec.end(),  
                        [=](auto x) { return x < z; }));
```

Next: tokenize using STL and iterators (in CLion)